10

INJURY BIOMECHANICS RESEARCH Proceedings of the Twelfth International Workshop

A VISCOUS TOLERANCE CRITERION

a presentation to:

12th ANNUAL INTERNATIONAL
WORKSHOP ON HUMAN SUBJECTS FOR
BIOMECHANICAL RESEARCH

November 5, 1984

Ian V. Lau, Ph.D.

Biomedical Science Department

GM Research Laboratories

Warren, MI 48090

ABSTRACT

A viscous criterion, represented by the product of the instantaneous compression and velocity of compression [V*C], is proposed as an index of tissue vulnerability to blunt trauma by a velocity sensitive mechanism. The criterion is supported by available physiologic data. Liver injury was found to be directly proportional to impact velocity when abdominal compression was constant at 16%. The interdependence between impact velocity and compression in producing pulmonary injury was demonstrated in an animal model. [V*C]max was also found to correlate well with injury in cadaver experiments. [V*C]max = constant differentiated critical/lethal injuries from nonlethal injuries in animal experiments. The viscous criterion was found to be the best predictor of injury for impact velocities above 5 m/s. The criterion can be adopted for measurements in dummies with current technology.

PROPOSED CHEST INJURY CRITERION

III. VISCOUS COMPONENT

(V*C) m/s

[For frontal injuries, Viano and Lau, 1983]

The criterion:

* assesses the risk from high speed impacts.

* has physiologic and theoretical basis

* is practical for measurement in dummies.

12th Human Subject Workshop

I.V.L.

11/5/84

REFERENCES FOR VISCOUS INJURY CRITERION

Lau and Viano: Influence of Impact Velocity on the Severity of Nonpenetrating Hepatic Injury. J. Trauma 21: 115-123, 1981.

Lau and Viano: Influence of Impact Velocity and Chest Compression on Experimental Pulmonary Injury Severity in Rabbits. J. Trauma 21: 1022-1028, 1981.


Lau: Effect of Timing and Velocity of Impact on Ventricular Myocardial Rupture. J. Biomech. Engr. 105: 1-5, 1983.

Viano and Lau: Role of Impact Velocity and Chest Compression in Thoracic Injury. Aviat. Space Environ. Med. 54: 16-21, 1983. Rouhana, Lau and Ridella: Influence of Velocity and Forced Compression on the Severity of Abdominal Injury in Blunt, Nonpenetrating Lateral Impact. GMR Publication 4763, 1984.

12th Human Subject Workshop


11/5/84

HEPATIC INJURY AS A FUNCTION OF IMPACT VELOCITY C = 16%




12th Human Subject Workshop I.V.L.

PULMONARY INJURY AS A FUNCTION OF DISPLACEMENT AT THREE IMPACT VELOCITIES



REGRESSION ANALYSIS OF CRITICAL/FATAL INJURIES THE THORAX IS MOST SENSITIVE TO DYNAMIC LOADING BETWEEN V = 6 - 20 m/s




12th Human Subject Workshop I.V.L. 11/5/84

CONCLUSIONS

- 1. Viscous tolerance of the thorax can be represented
- 2. Differs from existing inertial and elastic criteria and should be considered for supplementing them.
- Particularly important for high speed (>5 m/s) impact injury evaluation.
- 4. Can be easily adopted for use in dummies.

12th Human Subject Workshop I.V.L.

INJURY CRITERIA NECESSARY ALL INJURY MECHANISMS TO ACCOUNT FOR



12th Human Subject Workshop I.V.L.